

COLOURS & FINISHES











Colours



All shades on the colour chart are RAL standard. Other shades possible on request, by colour matching your sample.

The RAL colour chart is not associated with a particular brand. Find it in all DIY/paint shops, on sale and available for consultation on the internet (illustration below).

The depiction of the colours on the screen or on paper is not always true to life. It is better to consult a standar-dised colour chart.

€0

Finishes



Choose your finish: Matt, Satin, Gloss or Micronised (also called Sanded).

Matt is, by its nature, more fragile. The micronised finish, by virtue of its depth, is less liable to scratching; it is harder to clean (often used for street furniture).

According to the base colour, the matt and micronised finishes may very slightly lighten the shade. In particular: gloss finish on a very dark shade – Consult us.

€ 0

Options

IOP-MVP
Reduced price paint

Simple painted finish without protective coat; exists in matt, satin, gloss or micronised finishes.

Ideal for reducing the budget when the quality of the finish is not vital.

Without a protective coat, the paint is more liable to scratching and deterioration due to UV rays.

- € 30 Excl. tax / U

IOP-PZC Zinc patina



Hand-finished shine imitating the appearance of zinc.
With matt finish.

These patina being the result of the applicator's labour, they will vary endlessly and it will never be possible to reproduce them exactly. The illustration opposite and the photos displayed on our sites and in our catalogues are just a rough guide.

+ € 30 - 60 Excl. tax / U acc. to size of container

IOP-RUST
Rust look



Rust look finish (type CORTEN brand). Paint containing iron oxide particles. With matt finish.

Alternative without additional cost : "Marron Oxyde Urbain" finishing with micronized varnish.

Other possible variant: "Marron métallisé": IOP-MM

These patina being the result of the applicator's labour, they will vary endlessly and it will never be possible to reproduce them exactly.

IOP-RUST: + € 80-220 Excl. tax / U acc. to size of container IOP-MM: + € 30 Excl. tax / U

ADVICE SHEET

Image'In Planters by ATELIER SO GREEN www.ateliersogreen.com - contact@ateliersogreen.com T - 33 (0) 2 47 65 13 62 / F - 33 (0) 9 83 96 13 62

Creation Jean Claude Joly Sarl 9 Rue Allaire, Z.A. La Canterie FR - 37800 Ste Maure de Touraine



RAL STANDARD COLOUR CHART



















Draining base

Perforated base: 40mm holes. Excess water drains off underneath the container.

Allows good drainage of rainwater and after watering: the ideal solution for your exterior containers.

For exterior use only. For interior use, combine with the saucer option (IOP-ASS).

€ 0



Water reservoir with **Horticultural system**


Allows the creation of a water reservoir integrated in the drainage section.

Overflow drainage underneath the container.

For a reservoir free from the risk of frost.

Provide the option Horticultural system: IOP-SH or IOP-SH60.

acc. to capacity IOP-SH:€30 IOP-SH60 : € 45 Excl tax/ Planter




Drainage via weep hole

Watertight base with overflow drainage via a weep hole on one side of the container.

Ideal when water drainage is not possible underneath the container. Allows overflow drainage from a specific point. Possibility of reservoir with IOP-SH. Can be connected to a rainwater system.

€ 0 without reservoir With reservoir, add IOP-SH: € 30 Excl tax/Container



Watertight base

Watertight base for "Indoor" container. Requires IOP-ER option: Reinforced sealing.

Control watering using the Water Level Indicator option (MIOP-INE).

Recommended for interior use only.

IOP-ER: € 20 - 60 Excl tax/ Container acc. to size of container

Image'In Planters by ATELIER SO GREEN www.ateliersogreen.com - contact@ateliersogreen.com T - 33 (0)2 47 65 13 62 / / F - 33 (0)9 83 96 13 62 Creation Jean Claude Joly Sarl 9 Rue Allaire, Z.A. La Canterie FR - 37800 Ste Maure de Touraine















Perfos

Fittings for putting in automatic watering and/or lighting systems.

Simply on request, we can adapt the containers to suit your requirements: perforations, cut-outs, waterproof risers, etc.

Contact us when you place your order.

€0



IOP-SH

Horticultural system.

Drainage system offering a water reservoir. IOP-SH: 5L/m² reservoir, expanded polystyrene sheet - 40mm thick.


IOP-SH60: 6cm of reservoir, approx. 23L/m² when full of agregats, recycled PEHD sheet - 60mm thick.

made of clay pellets. Cover with geotextile before adding substrate. IOP-SH60 as to be full of clay pellets (approx. 45L/m²). It can be used with a water level indicator IOP-INF.

IOP-SH replaces the drainage section

€ 30 Excl. tax / container

€ 45 Excl. tax / container




IOP-INE 50 / 80 / 100

Water level indicator.

For pots used indoors which have a watertight base. The float indicates the water level at the bottom of the container. It allows the monitoring of watering.

Suitable for Indoor plant containers which have a watertight base. Price varies according to the height of the container.

€ 25 - 40 Excl. tax / container acc. to height of container



IOP-RL 50 / 65 / 80 / 125 / 100FC ... Installation on casters for handling.

Concealed under the container, the casters are not visible. They allow the plant container to be moved from time to time. As they are concealed, the casters cannot be fitted with brakes. If needed, provide a brake by retractable foot in option: IOP-PFE.

For a well-balanced installation, with a

uniformly distributed load. Allows water

May only be used on a flat, smooth and firm surface.

Beware of the risk of instability on <40cm width containers. Check the compatibility with the intended use; contact us.


Suitable for > 40 cm wide containers.

12 / 15 / or 55 mm. Others on request.

Suggested ranges of adjustment:

€ 100 - 160 Excl. tax / container acc. to size of container

If brakes needed IOP-PFE: € 60 - 80 Excl. tax /container acc. to size



IOP-PLOT 28-40 / 40-55 / 85-140 ...

Installation on adjustable PVC pedestals.

to flow underneath the container and also allows adjustments in the alignment of linear arrangements of containers.

For installation on sloping ground.

Replaces IOP-PLOT for < 40 cm wide containers.

/ container acc. to std ranges (Others on request)

€ 50 - 60 Excl. tax

IOP-PR

Installation on adjustable

€ 100 - 120 Excl. tax /container acc. to size & slope













New York Control of the Control of t	

IOP-PSX Installation on extruded polystyrene panel

Installation on polystyrene weight distribution buffer. Avoids perforation if installing directly on waterproofing.

Check the admissible load per m².

€ 20 - 60 Excl. tax acc. to size of container




Handling by forklift **IOP-MTP**

Removable trap door concealing an access underneath the container for handling by forklift. Ideal for moving large containers from time to time.

Handle with care! The loaded container is subject to great stresses when being moved.

€ 125 Excl. tax/per container



IOP-ISOL Wall insulation (PSX) Fibre-cement already has a low thermal exchange coefficient. However, in areas with extremes of climate, wall insulation can be added.

Wall insulation only slows down the variations in temperature in the clump of soil. Provide protection for your plantation.

€ 40 - 60 Excl. tax acc. to size of container



Hole and crosspiece for **IOP-TES** secure fixing

Allows the passage and fixing of a previously ground-secured, threaded rod at the base of the container.

The tightening process must be carried out with care to avoid the risk of damaging the container.

€ 30 Excl .tax/per container

IOP-TEL

IOP-FR*

Hole and crosspiece for lateral fixing

For the fixing of containers to each other or to a wall.

> * € 20 - 60 Excl. tax acc. to size of container

Raised base

Allows a reduction in the volume and weight of the soil when plants do not require the whole capacity.

** If installed on casters, feet, pads... requiring a bottom on a low level.

size and height to fill

IOP-PSE** Useful height reduced by an expanded polystyrene filling

** cost acc. to container



□ PACKAGING & DELIVERY









PSM

Made-to-measure pallet for the packaging of large garden containers.

When packing is not possible on standard pallets: 80x120 / 100x120 or 120x120

€ 15 Excl.Tax / Pallet

Delivery by courier

Kerbside delivery by lorry equipped with a tailgate for unloading pallets next to the lorry. Delivery by courier is possible for up to three 80x120 pallets or two 120x120 pallets; over that, delivery is by freight.

The delivery point must be accessible for a truck (12-19To/40m3). Delivery from monday to Friday, at the day, without specific schedule. Pallets are unloaded next to the lorry. Delivery does not include the installation of products.

Price on demand (varies according to destination, weight and volume of delivery)

Delivery by freight Kerbside delivery by tractor-trailer without unloading. Delivery date and time slot will be specified.

For deliveries of more than 2-3 pallets. If you do not have your own means of unloading, ask for the tailgate option!

The delivery point must be accessible for a tractor-trailer (80m3). You must provide your own means of unloading (platform, loader, manuscopic, crane, etc.)

Price on demand (varies according to destination, weight and volume of delivery)

Tailgate option

For freight deliveries: lorry equipped with a tailgate for unloading pallets next to the vehicle.

If you do not have a forklift, think about asking for delivery by a lorry equipped with one. For deliveries by courier: € 0

By freight, to mainland France: € 50 Excl. tax / lorry

By freight, outside mainland France: approx. € 150 - 200 Excl. tax / lorry

Delivery date on appointment

For deliveries by courier: an SMS is sent asking you to call the carrier to fix a time.

Ideal if there is not always somebody around at the location to take delivery. Check your messaging service! You will be automatically contacted by SMS; it's up to you to call back the carrier. Fixing a date involves an additional delay of at least 24 hours; and an all-day availability (no specific time slot).

€0

Scheduled delivery

For delivery on a specified date.

Once your order is ready to be dispatched, specify your desired delivery date.

Minimum request 72 hours in advance. Delivery round on the day; fixed times are not possible.

+ 50 %

ATTENTION

All deliveries are made from monday to friday. The pallets unloading is included only with a "delivery by courier" or with "tailgate option". In that case, pallets are unloaded next to the lorry. Depalletization, handling up to the installation site, unpacking and putting into service of the products are not included in the delivery service. The carriers are not responsible for nonreturnable pallets and packaging waste.

The feasibility of non-standard delivery has to be study and costing from a service provider.